

LITERATURA

1. Penka M. Fyziologie krevního srážení. In: Penka M, Penka I, Gumulec J et al. Krvácení. Praha: Grada; 2014. p. 27-31.
2. Levy JH. Antifibrinolytic therapy. New data and new concepts. Lancet 2010;376:3-4.
3. Hájek R, Zezula R, Fluger I, et al. Význam tromboelastografie pro monitorování hemostázy v kardiocirurgii. Interv Akut Kardiol 2005;4(4):224-228.
4. Hájek R, Růžičková J, Gwozdziwicz M, et al. Hodnocení funkce trombocytů během mimotělního oběhu pomocí tromboelastografie. Cardiol 2006;15(2):78-88.
5. Royston D. Haemostasis management. In: Alston RP, Myles PS, Ranucci M et al. Oxford textbook of cardiorthoracic anaesthesia. Oxford: Oxford University Press; 2015. p. 181-191.
6. Koster A, Faraoni D, Levy JH. Antifibrinolytic therapy for cardiac surgery: an update. Anesthesiology. 2015;123:214-212.
7. Primm AN. Fibrinolysis, antifibrinolytic agents and perioperative consideration. In: Scher CS, Kaye AD, Liu H et al. Essentials of bloodproduct management in anesthesia practice. Cham: Springer Nature; 2021. p. 37-51.
8. Faraoni D. Fibrinolytic system. In: von Heymann C, Boer C. Patient blood management in cardiac surgery. Cham: Springer Nature; 2019. p. 107-116.
9. Royston D, Taylor KM, Bidstrup BP, et al. Effect of aprotinin on need for blood transfusion after repeat open heart surgery. Lancet 1987;330:1289-1291.
10. Ferraris VA, Brown JR, Despotis GJ, et al. 2011 update to the Society of Thoracic Surgeons and the Society of Cardiovascular Anesthesiologists blood conservation clinical practice guidelines. Ann Thorac Surg 2011;91(3):944-982.
11. Henry DA, Carless PA, Moxey AJ, et al. Anti-fibrinolytic use for minimising perioperative allogenic blood transfusion. Cochrane Database SysRev. 2007;1:CD001886.
12. Mangano DT, Tudor IC, Dietzel C. Multicenter Study of Perioperative Ischemia Research Group; Ischemia Research and Education Foundation. The risk associated with aprotinin in cardiac surgery. N Engl J Med. 2006;354:353-365.
13. Karkouti K, Beattie WS, Dattilo KM, et al. A propensity score case-control comparison of aprotinin and tranexamic acid in high-transfusion-risk cardiac surgery. Transfusion. 2006;46:327-338.
14. Fergusson DA, Hebert PC, Mazer CD, et al. A comparison of aprotinin and lysine analogues in high-risk cardiac surgery. N Engl J Med. 2008;358:2319-2331.
15. Maybohm P, Herrmann E, Nierhoff J, et al. Aprotinin may increase mortality in low and intermediate risk but not in high risk cardiac surgical patients compared to tranexamic acid or ε-aminocaproic acid – a meta-analysis of randomised and observational trials over 30,000 patients. PLoS One, 2013; 8,3, p.e58009.
16. European Society of Anaesthesiology Task Force Report on Place of Aprotinin in Clinical Anaesthesia. Aprotinin, is it time to reconsider? Eur J Anaesthesiol. 2015;32:591-595.
17. Ortman E, Besse MV, Klein A. Antifibrinolytic agents in current anesthesiologic practice. BJA. 2013;111(4):549-563.
18. Sigaut S, Tremey B, Outtara A, et al. Comparison of two doses of tranexamic acid in patients undergoing cardiac surgery with cardiopulmonary bypass. Anesthesiology. 2014;120:590-600.
19. Boer C, Meesters MI, Mijlojevic M, et al. 2017 EACTS/EACTA guidelines on patient blood management for adult cardiac surgery. J CardiothoracVascAnesth. 2017;25:1-34.
20. Myles PS, Smith JA, Forbes A, et al. Tranexamic acid in patients undergoing coronary-artery surgery. N Engl J Med. 2017;376:136-148.
21. Koster A, Borgermann J, Zittermann A, et al. Moderate dosage of tranexamic acid during cardiac surgery with cardiopulmonary bypass and convulsive seizures: incidence and clinical outcome. BJA. 2013;110(1):34-40.
22. Kratzer S, Irl H, Mattusch C, et al. Tranexamic acid impairs gamma-aminobutyric acid receptor type A – mediated synaptic transmission in the murine amygdala: a potential mechanism for drug-induced seizures? Anesthesiology. 2014;120:639-649.
23. Lecker I, Wang DS, Romaschin AD, et al. Tranexamic acid concentrations associated with human seizures inhibit glycine receptors. J Clin Invest. 2012;122:4651-4666.
24. Jerath A, Yang QI, Pang KS, et al. Tranexamic acid dosing for cardiac surgical patients with chronic renal dysfunction: a new dosing regimen. AnestAnal. 2018;127:1323-1332.
25. Peralta R, Thani H, Rizoli S. Coagulopathy in the surgical patient: trauma-induced and drug-induced coagulopathies. Current Opinion in Critical Care. 2019;25(6):668-674.
26. Gall LS, Davenport RA. Fibrinolysis and antifibrinolytic treatment in the trauma patient. Current Opinion in Anaesthesiology. 2018;31(2):227-233.
27. Perrault LP, Moukharief FZ. Fibrin sealants in cardiac surgery. In: Raja SG. Cardiac surgery- a complete guide. Cham: Springer nature; 2020. p. 119-127.



PRAGUE
SYMPOSIUM 2022
Polypharmacy and ageing
 – highly-individualized, person-centered care

October 19–21, 2022
 Prague, Czech Republic
 Congress & Wellness Hotel Olšanka

